Properties of 29 Jun 2001

Stichting voor de Technische Wetenschappen <110> <120> METHOD OF DETECTING A DNA SEQUENCE, A DNA SEQUENCE, A METHOD OF MAKING A DNA CONSTRUCT AND THE USE THEREOF 92750/58 <130> US 09/762,916 <140> <141> 1999-08-16 PCT/NL99/00518 <150> 1999-08-16 <151> <150> NL 1009862 <151> 1998-08-14 <160> <170> PatentIn version 3.0 1 <211> 95 <212> DNA artificial sequence <213> <220> <221> misc_feature (1)..(95) <222> synthetic sequence containing four binding sites <223> for LexA from E. coli <400> 1 gtcgactgct gtatataaaa ccagtggtta tatgtacagt acttgtactg tacatataac 60 95 cactggtttt atacagcaag cttggatccg tcgac <210> 2 <211> 73 <212> DNA <213> artificial sequence <220> <221> primer_bind <222> (1)..(73) forward primer used to make human heat shock factor <223> inducible promoter <400> aagcttggga gtcgaaactt ctggaatatt cccgaacttt cagccgacga cttataaaac 60

gccagg	ggca agc	73
<210>	3	
<211>	76	
<212>	DNA	
<213>	artificial sequence	
<220>		
<221>	primer_bind	
<222>	(1)(76)	
223>	reverse primer used to make human heat shock factor inducible promoter	
<400>	3	
ccatgg	ttta gcttccttag ctcctgaaaa tctcgccaag ctcccggggt ccgcgagaag	60
agctcg	gtcc ttccgg	76
<210>	4	
<211>	38	
<212>	DNA	
<213>	artificial sequence	
<220>		
<221>	primer_bind	
<222>	(1)(38)	
<223>	forward PCR primer used to isolate DNA fragment from genomic Drosophila DNA	
<400>	4	
gatcaagctt atgatctgcg tatgatacca aatttctg		38
<210>	5	
<211>	36	
<212>	DNA	
<213>	artificial sequence	
<220>		
<221>	primer_bind	
<222>	(1)(36)	
<223>	reverse PCR primer used to isolate DNA fragment from genomic Drosophila DNA	

gacaagetta cattgetggg cgagetgege caateg

36

Comp